


Hay Rake is easily adaptable to each type of tractor by its three point linkage system. It provides a lot of time and labor saving. It offers an excellent performance on each kind of fields and it helps farmers to make work easier than previous.

Hay Rake is used for separating the green herb over the field to ventilate them to dry in a short time.

It can be used to collect the cut plant stalks together to put this in a standard row and by this way the plant stalks returns to te economy and obtains extra gain.



### TECNICAL SPECIFICATIONS

Units		CHR-4	CHR-5	CHR-8	CHR-10
Drum Pcs	pcs	4	5	8	10
Spring Pcs	pcs	160	200	320	400
Total Length	cm	400	530	670	760
Total Width	cm	210	230	300	410
Working Width	cm	220-260	330-350	520-610	520-700
Weight	kg	175	215	485	580
Tractor Power	hp	30	30	45	45

Trailed type carted rake has two single rake frames operated by independent acting cylinders, which use tractor hydraulics to raise and lower the finger wheels from transport to field position.

The tyne shape and special steel used in manufacturing have been studied to give them the best flexibility. The final result is a fluffy windrow suitable to form an even and compact bale.

The two rake main frames, pivot and slide on the trolley frame giving you the possibility of setting the rake working width at your convenience, maintaining the optimum condition in respect to the crop you are raking. The wide frame of the trolley allows for maximum stability of the rake even in rough terrain.

Strong tubular steel frame, 40 special steel springs per wheel, Twin hydraulic rams for lifting rake arms, Heavy-duty greasable bearings in each hub

**TECNICAL SPECIFICATIONS**

Units		THR-8	THR-10
Drum Pcs	pcs	8	10
Spring Pcs	pcs	320	400
Total Length	cm	670	760
Total Width	cm	300	300
Working Width	cm	600	700
Weight	kg	575	655
Tractor Power	hp	25	25






Rotary Hay Rake is easily adaptable to each type of tractor by its three point linkage system. It provides a lot of time and labor saving.

It offers an excellent performance on each kind of fields and it helps farmers to make work easier than previous.

Rotary Hay Rake is used for separating the green herb over the field to ventilate them to dry in a short time.

It can be used to collect the cut plant stalks together to put this in a standard row and by this way the plant stalks returns to te economy and obtains extra gain.



#### TECNICAL SPECIFICATIONS

Units		Models
Arm Pcs	pcs	9
Double Finger Pcs	pcs	3
Wheel Sizes		
15x6		
Wheel Pcs	pcs	2
Transport Width	cm	150
Working Width	cm	330
Weight	kg	385
Tractor Power	hp	45

Rotary Hay Rake is easily adaptable to each type of tractor by its three point linkage system. It provides a lot of time and labor saving.

It offers an excellent performance on each kind of fields and it helps farmers to make work easier than previous.

Rotary Hay Rake is used for separating the green herb over the field to ventilate them to dry in a short time.

It can be used to collect the cut plant stalks together to put this in a standard row and by this way the plant stalks returns to te economy and obtains extra gain.



## TECNICAL SPECIFICATIONS

Units		Models
Arm Pcs	pcs	9
Double Finger Pcs	pcs	3
Wheel Sizes		
15x6		
Wheel Pcs	pcs	4
Transport Width	cm	150
Working Width	cm	330
Weight	kg	400
Tractor Power	hp	45