

The Implements of trailed and mounting types of disc harrows are mounted to the tractors by three point linkages. Additionally, the user can also use it as trailed type. Disc harrows are made of steel square rods arranged in row with bearings. High resistant, heat treated disc set frames are connected main frame. Used for scrapping pieces on the soil and stems of sunflower, wheat, rice, plant remnants wild grass. And also to break the surface of the soil and mix the manure and chemical fertilizers with the soil. Disc harrows are used either in cultivating vineyard, garden, fruit tree and olive tree fields or in cultivating plain fields. Preferably used type in the fields of trees and vineyards is mounted type and in the plain fields, the trailed type is preferred.



TECNICAL SPECIFICATIONS

Units		COD20	COD24	COD28	COD32	COD36	COD40
Number of Discs	pcs	20	24	28	32	36	40
Disc Diameter	mm	460X3,5					
Distance Between Disc	cm	18					
Number of Beds on Crank	pcs	8	12				
Working Width	cm	180	216	252	288	324	360
Total Width	cm	223	258	293	328	363	398
Total Length	cm	147					
Total Height	cm	205					
Frame	mm	100x80x5	100x100x6				
Weight 460 mm Disc	kg	610	660	710	765	935	1035
Weight 510 mm Disc	kg	870	1050	1100	820	985	1095
Tractor Power	hp	50-55	55-60	60-70	70-80	80-90	90-100